Product Name: Heat Pax

Preparation Date: December 12, 2018

Page 1 of 9

# SAFETY DATA SHEET

Protective	NFPA Rating	EC	WHMIS	Transportation
Clothin	USA	Classification	Canada	
	110	Irritant	<b>(j)</b> 028	Not Regulated

# Section 1: Product and Company Information

Product Name: Heat Pax

<u>Product Code</u>: 5550,5551,5552,5540,5541,5542,5570,5571,5572

Product Use: Air Activated Warming

Chemical Family: N/A

Synonyms: Non-Woven Fabric, Iron Powder, Water, Activated Carbon, Vermiculite, Wood Powder, Salt

Manufacturer: Techniche LLC

2575 Pioneer Avenue, Suite 101

Vista CA 92081

Phone Number: 888-823-2665 Fax: 760-931-8884

24-hour Emergency: CHEMTREC: 800-424-9300

# Section 2: Composition and Ingredient Information

### Hazardous Ingredients

Common Name	Chemical Name	CAS No.	Wt.%	EINECS/ELINCS	Symbol	Risk Phrases
Non-Woven Fabric	Polyethylene	9002-88-4	100%		Xi	R36/37/38
Iron Powder	Iron	7439-89-6	50-70%		Xi	R36/37/38
Water	Water	7732-18-5	15-25%			R36/37/38
Activated Carbon	Carbon	7440-44-0	10-15%		Xi	R36/37/38
Vermiculite	n/a	1318-00-9	1-5%		Xi	R36/37/38
Wood powder	n/a	n/a	1-5%		Xi	R36/37/38
Salt	n/a	n/a	1-4%		Xi	R36/37/38

S

S

S D S

Product Name: Heat Pax

Preparation Date: December 12, 2018

Page 2 of 9

**SAFETY DATA SHEET** gredients. See Section 16 for the full text of the R-phrases above.

Product Name: Heat Pax

Preparation Date: December 12, 2018

Page 3 of 9

## SAFETY DATA SHEET

## Section 3: Hazards bentification

Preparation Hazards and

Irritating to eyes, respiratory system and skin.

Classification:

USA: This product is a not hazardous material as defined by 29 CFR1910.1200, OSHA Hazard

Communication Evaluation.

Canada: This is a controlled product under WHMIS.

European Communities (EC): This substance is classified in the Annex 1 of Directive 67/548/EEC. This substance is considered dangerous and has been classified according to

Directive 1999/33/EC and its adaptations. Classification: Irritant

Appearance, Color and Odor: Black Powder. Odor type: Slight odor.

Primary Route(s) of Exposure: Inhalation, Ingestion, Eye contact, Skin contact

Potential Health Effects: ACUTE (short term): see Section 8 for exposure controls

 $\underline{\textbf{h}}$  halation: High concentrations of vapors and mists of this product are severely irritating to

the upper respiratory tract.

Ingestion: Severely irritating to the gastro intestinal tract irritation with nausea, vomiting and diarrhea. Risk of aspiration into the lungs during swallowing and vomiting; aspiration of

this substance may cause severe lung injury.

Skin: Direct contact causes mild skin irritation.

Eyes: Direct contact causes severe eye irritation.

CHRONIC (long term): see Section 11for additional toxicological data

Prolonged or repeated skin exposure may cause drying and reddening of the skin.

Medical Conditions
Aggravated by Exposure:

Eve Contact:

Not available

# Section 4: First Aid Measures

Inhalation: Remove source of contamination or move victim to fresh air. If breathing is difficult, oxygen

may be beneficial if administered by trained personnel, preferably on a doctor's advice. Do not allow victim to move about unnecessarily. Symptoms of pulmonary edema can be delayed up to 48 hours after exposure. Immediately transport victim to an emergency care facility.

to 40 hours after exposure. Infinitedately transport violante affecting our radiity.

Quickly and gently, blot or brush away excess chemical. Immediately flush the contaminated

eye(s) with lukewarm, gently flowing water for 20 minutes or until the chemicals is removed, while holding the eyelids open. Take care not to rinse contaminated water into the unaffected

eye or onto the face. Obtain medical attention immediately.

Skin Contact: Quickly and gently, blot or brush away excess chemical. Wash gently and thoroughly with

warm water and non-abrasive soap for 20 minutes or until the chemical is removed. Under running water, remove contaminated clothing shoes, and leather goods (watch bands, belts).

Ingestion: Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or

convulsing. Do Not Induce Vomiting. If vomiting occurs naturally, have victim lean forward

to reduce risk of aspiration. Obtain medical attention immediately.

Note to Physicians: Aspiration of this substance into the lungs during vomiting may result in aspiration of the light

hydrocarbon liquid, which may cause pneumonitis.

Product Name: Heat Pax

Preparation Date: December 12, 2018

Page 4 of 9

## SAFETY DATA SHEET

# Section 5: Fire Fighting Measures

Extinguishing Media: Dry chemical, C02, alcohol foam. Use water spray to cool fire exposed containers.

<u>Unusual Fire and</u>
<u>Explosion Hazards:</u>
Sensitivity to mechanical impact: May be sensitive
Sensitivity to static discharge: May be sensitive

This substance will burn but it is not easily ignited. May form flammable or explosive mixtures with air

at temperatures above the substance flash point.

Fire Fighting

As for any fire, evacuate the area and fight the fire from a safe distance. Wear a pressure-demand, Instructions:

self-contained breathing apparatus and full protective gear. Using water on fires involving this

substance may cause frothing with increasing fire intensity.

Prevent contaminated water from being released into soil or surface waters.

Hazardous Combustion

Products:

During a fire, irritating and toxic gases, fumes and vapors may be generated. Products of combustion

may include carbon monoxide, carbon dioxide and dense smoke.

### Section 6: Accidental Release Measures

Personal Precautions: Wear all proper personal protective equipment as indicated in Section 8. Prevent skin and eye contact.

Avoid inhaling vapors and mists of this product. Remove all sources of ignition and heat.

Environmental Precautions:

Prevent material from contaminating soil and from entering sewers or waterways.

Methods for Containment:

Isolate the spill area. Stop the leak it is safe to do so. Contain the liquid immediately using a suitable

inert absorbent (sand, clay, vermiculite or commercial hydrocarbon absorbents).

Methods for Clean-up: Scoop up contaminated absorbents and place into suitable, covered chemical disposal containers.

Large spills may be cleaned up by pumping liquid into closed containers, using equipment appropriate

for a combustible, hydrocarbon liquid.

Report all spills of this material that could reach any surface waters, contaminate soils or enter

drainage and sewer systems.

## Section 7: Handling and Storage

Handling Do not get on skin or in eyes. Do not ingest or inhale. Wash thoroughly with detergent and water

after handling, before eating, drinking, smoking or using the toilet. Remove contaminated clothing and

wash before reuse. Followall MSDS and label precautions even after the container is emptied

because they may retain product residues.

Storage: Store in a cool, dry area, out of direct sunlight. Keep containers closed when not in use.

Product Name: Heat Pax

Preparation Date: December 12, 2018

Page 5 of 9

## SAFETY DATA SHEET

# Section 8: Exposure Controls and Personal Protection

### **Exposure Limits**

Ingredient	ACGIH TLV (8-hr. TWA)	U.S. OSHA PEL (8-hr. TWA)	Ontario (Canada) TWAEV	UK OEL (8-hr. TWA)
Non-Woven Fabric	Not established	Not established	Not established	Not established
Iron Powder	Not established	Not established	Not established	Not established
Water	Not established	Not established	Not established	Not established
Activated Carbon	Not established	Not established	Not established	Not established
Vermiculite	Not established	Not established	Not established	Not established
Wood Powder	Not established	Not established	Not established	Not established
Salt	Not established	Not established	Not established	Not established

### **Exposure Controls**

Engineering Controls: Use process enclosures, local exhaust ventilation, or other engineering controls to control sources

of mist or vapor.

Personal Protection:

Respiratory Protection: Not required for normal use. Wear an approved organic vapor respirator as needed to control

exposure. Wear a positive pressure supplied air respirator for uncontrolled releases or when the

organic vapor respirator limitations may be exceeded.

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 or Canadian Standards Association (CSA) Standard Z94.4-93 must be

followed whenever workplace conditions warrant a respirator's use.

Skin Protection: Wear chemical protective gloves and body-covering clothing to prevent skin exposure.

Eye Protection: Wear chemical goggles. Wear a face-shield when necessary to prevent contact with skin and eyes.

Other Protective Equipment:

Have a safety shower and eye-wash fountain readily available in the immediate work area.

Hygiene Measures: Remove contaminated clothing promptly. Keep contaminated clothing in closed containers. Launder

contaminated clothing before re-wearing or discard. Do not eat, drink or smoke in work areas. Wash hands thoroughly after handling this material. Maintain good housekeeping. Avoid skin and eye

contact. Avoid inhaling mists and vapors.

Product Name: Heat Pax

Preparation Date: December 12, 2018

Not available

Page 6 of 9

## SAFETY DATA SHEET

### Section 9: Physical and Chemical Properties

Physical State: Solid Vapor Pressure: 1mm Hg @ 1053 °C <mm Hg @ 20°C)

Appearance: Orange Material Enclosing Dark Powder N/A Vapor Density:

<Air=1)

Not available pH: Solubility in Water: Insoluble

Relative Densi!Y: 0.773 Not available Water / Oil distribution  $\{water = 1\}$ coefficient:

N/A Boiling Point: Slight Odor Type:

N/A Freezing Point:

Odor Threshold: Viscosity: Not available

Not available **Evaporation Rate:** <n-BuMAcetate = 1)

Oxidizing Properties: Oxidizer 202°C (396°F) Auto lignition Temperature C°C:

Flash Point and NΑ Not available

FlammabilityLimits {%}: Method {°CI:

### Section 10: Stability and Reactivity

Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Avoid contact with incompatible materials, and excess heat and ignition

sources. Incompatible Materials: Strong oxidizing agents, strong bases and strong acids.

**Hazardous Decompostion Products:** Decomposition products may include carbon monoxide, carbon

dioxide.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Product Name: Heat Pax Preparation Date: December 12, 2018

Page 6 of 9

# MATERIAL SAFETY DATA SHEET

# Section 11: Toxicological Information

# Acute Toxicity Data

Ingredient	.bQsoOral	.bQsoDermal	<u>.b£so</u> lnhalation
	(mg/kg)	(mg/kg)	(mg/m:J, 4 hrs.)
N/A	Not available	Not available	Not available

Chronic Toxicity Data

Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen.

Ingredient	ACGIH	ARC	NTP	OSHA
N/A	Not listed	Not listed	Not listed	Not listed

Carcinogenicity Designations:

ACG IH: American Conference of Governmental Industrial Hygienists

IARC: International Agency for Research on Cancer

NTP: National Toxicity Program

OSHA Occupational Safety and Health Administration

Irritation: Product is severely irritating to skin, eyes and gastrointestinal tract. High concentrations of dust

and particles are expected to be irritating to the upper respiratory system.

Draize Test, Skin (Rabbit); 100mg/24h. Reaction: Severe.

<u>Sensitizatio</u>n: Not applicable

Neurological Effects: Not applicable

<u>Teratogenicty:</u> Not applicable Reproductive Toxicity: Not applicable

Mutagenicity (Genetic Not

Effects):

Not applicable

Toxicologically Synergistic

Materials:

Not available

# Section 12: Ecological Information

Ecotoxicity: Not available

Mobility: No applicable

Persistence and

degradability:

Expected to biodegrade in natural soil, fresh water, sea water and sediments.

Bioaccumulative potential: Not Applicable

Other adverse effects: Not available

Product Name: Heat Pax Preparation Date: December 12, 2018

Page 7 of 9

# MATERIAL SAFETY DATA SHEET

# Section 13: Disposal Considerations

Waste Disposal Method: Do NOT dump into any sewers, on the ground or into any body of water. Store material for

Disposal as indicated in Section 7 Handling and Storage.

Dispose of in accordance with local, state and federal laws and regulations.

RCRA Waste numbers: None listed

Canada: Dispose of in accordance with local, provincial and federal laws and regulations.

Waste must be disposed of in accordance with relevant EC Directives and national, regional and local environmental control regulations. For disposal within the EC, the appropriate code

according to the European Waste Catalogue (EWC) should be used.

# Section 14: Transport Information:

<u>U.S.Hazardous Materials</u> Not regulated

Regulation (DOT49CFRI:

Canadian Transportation of

Dangerous Goods CTDGI:

Not regulated

ADR/RID: Not regulated

Not regulated

Marine Pollutants: Not regulated

ICAO/ATA: Not regulated

# Section 15: Regulatory Information

### NFPA Hazard Rating

Category	NFPA	
Acute Health	1	
Flammability	1	
Instability	0	

### **HMIS Hazard Rating**

Category	HMS
Acute Health	1
Flammability	1
Physical Hazard	0

TSCA Status: This substance is listed on the TSCA inventory.

SARA Title III:

Sec.3021304: None Sec:311/312: None Sec.313: None CERCLA RQ None

Product Name: Heat Pax Preparation Date: December 12, 2018 Page 8 of 9

## MATERIAL SAFETY DATA SHEET

This product has been classified in accordance with the hazard criteria of the Controlled Canada

Products Regulations and the MSDS contains all the information required by the Controlled

Products Regulations.

WHMS Classification: 028

NSNR Status < New Substance Notification This substance is listed on the Canadian Domestic Substance List (DSL).

Regulations):

**NPRI Substances** <National Pollutant Release Inventory):

EC Classification for the Substance/Preparation:

Symbol:



None

Risk Phrases: R36/37/38: Irritating to eyes, respiratory system and skin.

Safetv Phrases: S25: Avoid contact with eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical

S27: Take off immediately all contaminated clothing.

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.

S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label.

Australia: Present on Inventory of Chemical Substances (AICS).

China: Present on Chemical Inventory.

Existing and New Chemical Substances (ENCS): 2-10 Japan:

**Philippines** Present on inventory of Chemicals and Chemical Substances (PICCS).

Product Name: Heat Pax Preparation Date: December 12, 2018

Page 9 of 9

# MATERIAL SAFETY DATA SHEET

Section 16: Other Information

Full Text of R-phrases appearing in Section 2:

R36/37/38: Irritating to eyes, respiratory system and skin.

Preparation Information

Prepared by: Techniche LLC

2575 Pioneer Avenue, Suite 101

Vista CA 92081

Phone: (519) 336-4101

Preparation Date: December 12/18

Revision Date: Not applicable

Revision Summary: Revised in all sections

Disclaimer: While Techniche International believes that the data set forth herein is accurate, as of the date

hereof, *Techniche* makes no warranty with respect thereto and expressly disclaims all liability for

reliance thereon. Such data is offered solely for your consideration, investigation and

verification.

Manufacturer Disclaimer: This information is furnished without warranty, expressed, or implied, except that is accurate to

the best knowledge of *Techniche International*. The data on this sheet relates only to the specific material designated herein. *Techniche International* assumes *no legal responsibility* for

the use or reliance upon these data.

Printed Date: December 12 2018

Printed Summarv: N/A